



SURF LIFE SAVING AUSTRALIA FIRST AID COMPETITION

CARNIVAL:	
VENUE:	
AGE CATEGORY:	To be used for U17, U19 or Opens
CLUB/TEAM NAME:	
ADJUDICATOR:	

SCORING VALUES FOR MARKING SHEETS			
0 = Failed to act / Incorrect action	1 – 2 = Partial Treatment	3 – 4 = Competent Treatment	5 – 6 = Excellent Treatment

Patient No.3 Injuries :Dislocation and Facial Laceration

SCORING FOR PRIMARY SURVEY - SURF SPORTS MANUAL (35th Ed) 3.6.7(c)(i)	
ONLY MARK	0 = Failed to check or act in the primary/initial survey 1 - 2 = Checked or acted in the primary/initial survey

Patient No.3 Injuries Dislocation and Facial Laceration	Initial Assessment Primary Survey	Judge A	Judge B	Judge C	Score Wx1
Universal Infection Control	Minimum-gloves and changing with Patients				
Approach to the Patient	Identify self as First Aider				
Response	Yes > Conscious				
Airway	Clear				
Breathing	Present				
Circulation	Present				
Obtain consent	Requested				
Obtain Initial History of incident	History of incident				
Life Threatening Injury/Condition	Identify and act				
Subtotal					

***NB.** Treatments shown are past “examples only”

Treatment – 3.6.7(c)(iii)

All treatments will reflect the current SLSA First Aid Training Manual.

Where DRSABCD is listed as the first line of “MANAGEMENT” of a treatment, in the current text, it will **NOT** be included in the treatment section, as these steps are already currently reflected in applicable areas of the marking guide.

***Please note:** Where a patient’s condition changes (ie. collapse of a conscious patient), DRSABCD **will be** included appropriately in the Treatment section.

Patient No.3 Injury Dislocation and Facial Laceration	Treatment - 3.6.7(c)(iii)	Judge A	Judge B	Judge C	Score Wx3
Facial Lacerations This patient has sustained a freely bleeding laceration to their face from the fall from the Gator.	Check for embedded or impaled objects				
	Clean around the wound with sterile saline or warm water				
	Apply direct pressure using a sterile pad, clean cloth, hands etc.				
	Firmly secure the pad/cloth with a bandage				
	Elevate the part if a limb				
	Monitor and record casualties vital signs				
	Treat the patient for shock				
	Check to ensure that the bandaging is not too tight and has not compromised circulation				
Subtotal					

Patient No.3 Injury Dislocation and Facial Laceration	Treatment - 3.6.7(c)(iii)	Judge A	Judge B	Judge C	Score Wx3
Dislocated shoulder This patient has sustained a dislocated shoulder from falling from the Gator onto an outstretched arm.	Support the limb in the most comfortable position for the patient				
	Check for signs of circulation below the joint that has been dislocated				
	If there are no signs of circulation the limb needs to be gently moved to allow circulation to return.				
	Immobilise the limb				
	Treat for shock				
	Monitor and record casualties vital signs				
Subtotal					

Patient No.3 Injury Dislocation and Facial Laceration	Patient Assessment Body Check - 3.6.7(c)(ii)	Judge A	Judge B	Judge C	Score Wx1
<p>Patient Assessment or Body Check. It is crucial that consent be obtained prior to conducting a secondary assessment on a victim. Be mindful and respectful of the culture, age and sex of the victim. Explain to the victim what you are doing and why. Listen to what the victim is saying to you as you use both hands to feel for deformities and swelling. Note any tenderness indicated by the victim.</p> <p>The order of Body checks for U15 Teams will be conducted as per the current SLSA PS&AR Manual along with any up-dates. The order of Body checks for U17 to Open Teams will be conducted as per the current SLSA First Aid manual along with any up-dates. The Body check list below is to be amended to suit the age group of the team competing.</p> <p>*Check for swelling, bruising, bleeding and deformities to any region, plus any of the following listed below:</p>	DO NOT WRITE IN THIS AREA				
<p>1. HEAD Fluid coming from the ears.</p> <p>FACE Ask victim to check for missing or broken teeth. Check the pupils for responsiveness and equality.</p> <p>NECK/SHOULDERS Medic Alert medallion, tenderness, tingling or pain.</p>	<p>This patient has sustained a laceration to their face from falling from the Gator.</p> <p>This patient has also sustained a dislocated shoulder from falling from the Gator on an outstretched arm.</p>				
<p>2. CHEST Even expansion of both sides while breathing; gently 'spring' the lower ribs for tenderness or pain.</p>	Nil				
<p>3. ABDOMEN/PELVIS Tenderness, rigidity or pain, incontinence.</p>	Nil				
<p>4. LEGS/FEET Ask victim to wiggle toes. Check pulse at extremities.</p> <p>ARMS Medic Alert medallion, equal strength in both hands, pulse at extremities.</p>	Nil				
<p>5. BACK AND SPINE Any deformity or tenderness. Visually inspect the spine after log rolling the victim (with assistance) Use a least two assistants if possible. Ref: p89</p>	Nil				
Subtotal					

Patient No.3 Injury Dislocation and Facial Laceration	Secondary Assessment - SAMPLE Previous Medical History - 3.6.7(c)(ii)	Judge A	Judge B	Judge C	Score Wx1
Signs and Symptoms	As per injury				
Allergies	Nil				
Medications	Nil				
Previous Medical History	Nil				
Last Meal	This morning				
Events Preceding	Playing in the park				
Subtotal					

Patient No.3 Injury Dislocation and Facial Laceration	Checks and Vital signs 1st Check/Set - 3.6.7(c)(ii)	Judge A	Judge B	Judge C	Score Wx1
Pulse / Circulation rate	Pulse - 96				
Breathing/ Respiratory rate	Breathing - 18				
Skin colour	Pink				
Skin Temperature	Warm				
Consciousness State	Conscious				
Subtotal					

Patient No.3 Injury Dislocation and Facial Laceration	Checks and Vital signs 2nd Check/Set - 3.6.7(c)(ii)	Judge A	Judge B	Judge C	Score Wx1
Pulse / Circulation rate	Pulse - 88				
Breathing/ Respiratory rate	Breathing - 16				
Skin colour	Pink				
Skin Temperature	Warm				
Consciousness State	Conscious				
Subtotal					

Patient No.3 Injury Dislocation and Facial Laceration	Patient Management	Judge A	Judge B	Judge C	Score Wx1
Confidence in managing Patient - 3.6.7(c)(v)	First Aider's confidence				
Glove removal & waste disposal - 3.6.7(c)(v)	Correct procedures followed				
Documentation - 3.6.7(c)(iv)	Legible, clear and concise				
Judge's discretionary comments:					
Subtotal					

Patient No. 3 TOTAL					
----------------------------	--	--	--	--	--